

cutsheet

Occhio

Sento faro doppio metal halide halogen

Ceiling lamp - modular system consisting of body and head


Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Ceiling lamp Occhio Sento faro doppio consisting of

- body Occhio faro doppio - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces



Sento faro doppio C



material

aluminium, brass, steel, glass

surface

head: see p.2 cutsheet
body: chrome, chrome matt

length / rotation angle

10 cm, 20 cm, 30 cm, 60 cm / 360°

recommended lighting effects

B, C, E see p.2 cutsheet

light source

metal halide halogen, HIT-TC-CE, operating voltage 230 V
2 x 20/35/70 W, G8.5,
energy efficiency grade A, lifetime 8.000 h

luminous flux (bulb)

20 W / 1650 lm, 35 W / 3300 lm, 70 W / 6600 lm

color temperature / color rendering

3000 K / CRI 85


weight

body + head max. 2,8 kg

mounting accessories


for surface or recessed mounting, see p.3 cutsheet

Sento faro doppio recommended lighting effects





Sento B (glass matt / cover)
reflector head for diffuse light
in one direction

luminous efficiency
49%
glass
satinised, heat-resistant glass
ring / cover
chrome, chrome matt
white or black glossy finish
(bianco, nero)
holder
chrome, chrome matt



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency
56%
beam angle
approx. 85°
lense
optical glass
ring und cover
chrome, chrome matt,
white or black glossy finish
(bianco, nero)
holder
chrome oder chrome matt



Sento E (glass matt / lense)
reflector head for diffuse light in one and
directed light in the other direction


luminous efficiency
83%
beam angle
approx. 85°
glass
satinised, heat-resistant glass
lense
optical glass
ring
chrome, chrome matt,
white or black glossy finish
(bianco, nero)
holder
chrome oder chrome matt

cutsheet

Sento faro doppio Item numbers

faro doppio		Item number	
		_chrome matt M	
		_chrome C	
	max. 2 x 150W metal halide halogen B15d (length 10 cm: max. 100W) turnable	10 cm	9F 20 00 _
		20 cm	9F 21 00 _
		30 cm	9F 22 00 _
		60 cm	9F 24 00 _



Sento B 	glass matt / cover	chrome matt	8K 00 72 M
		chrome	8K 00 72 C
		bianco	8K 00 72 B
		nero	8K 00 72 N
Sento C 	cover / lens	chrome matt	7K 00 63 M
		chrome	7K 00 63 C
		bianco	7K 00 63 B
		nero	7K 00 63 N
Sento E 	glass matt / lens	chrome matt	7K 00 75 M
		chrome	7K 00 75 C
		bianco	7K 00 75 B
		nero	7K 00 75 N



Sento faro doppio Item numbers

Item number
_chrome matt M
_chrome C



mounting gear on site

flat box



for plastering or wall / ceiling box
h 8 mm, ø 80 mm

8Z 00 00 M
8Z 00 00 C

Adapter ring



for plastering box large
or large wall / ceiling box
h 10 mm, ø 138 mm

8Z 08 00 _

Electronic control gear

(2 per soffitto doppio)



for 1 bulb, with cord grip,
max. cable length 150 cm

l 155 mm, b 87 mm, h 40 mm
l 150 mm, b 80 mm, h 35 mm
l 150 mm, b 80 mm, h 35 mm

CDM 20
CDM 35
CDM 70

9Z 00 20Z
9Z 00 36Z
9Z 00 71Z

Electronic control gear

(1 per soffitto doppio)



for 2 bulbs, with cord grip,
max. cable length 150 cm

l 180 mm, b 78 mm, h 34 mm
l 210 mm, b 78 mm, h 34 mm

CDM 35
CDM 70

9Z 20 36Z
9Z 20 71Z

Electronic control gear

(2 per soffitto doppio)



for 1 bulb, without cord grip,
only for fitting in plastering
box large (ø 120 mm)

l 90 mm, b 60 mm, h 30 mm
l 90 mm, b 60 mm, h 30 mm
l 100 mm, b 75 mm, h 30 mm

CDM 20
CDM 35
CDM 70

9Z 00 20
9Z 00 36
9Z 00 71



gear in surface mounted box

Box doppio



mounting version
incl. electronic
twin control gear

l 304 mm, w 88 mm, h 36 mm

CDM 35

matt chrome
chrome
bianco / chrome
nero / chrome

9Z 80 2 35 MF
9Z 80 2 35 CF
9Z 80 2 35 BF
9Z 80 2 35 NF

CDM 70

matt chrome
chrome
bianco / chrome
nero / chrome

9Z 80 2 70 MF
9Z 80 2 70 CF
9Z 80 2 70 BF
9Z 80 2 70 NF



track version

CDM 35

matt chrome
chrome
bianco / chrome
nero / chrome

4Z 80 2 35 M F
4Z 80 2 35 C F
4Z 80 2 35 B F
4Z 80 2 35 N F

CDM 70

matt chrome
chrome
bianco / chrome
nero / chrome

4Z 80 2 70 M F
4Z 80 2 70 C F
4Z 80 2 70 B F
4Z 80 2 70 N F